



QUICK SET-UP GUIDE

CARAFE READY • T526S

A. SET-UP




NOTE:
Bottled or filtered water
is recommended.



1 Remove adhesive tapes.
Unwrap the Power Cord.




2 Remove the Water Tank by
tilting and lifting away from
the Brewer.



3 Rinse the Water Tank several
times. Fill with water.



4 Place the Water Tank and
Lid back on to the Brewer.



WARNING:
DO NOT pull the Latch
while brewing.



NOTE:
The first brewing cycle may take
up to 30 seconds to start.




5 Plug the Power Cord into
an electrical outlet.
Press the Power Button.



6 Place a large mug or cup
on the Drip Tray. (min. 12oz)



7 Press on the 10 oz Cup Size
Button to start brewing.




8 Discard the hot water and
repeat steps 6 and 7 at least
two (2) more times.


B-1. BREW




9 Place a mug on the Drip Tray and lift the Cover by pulling on the Latch.



⚠ WARNING:
Sharp Needles on the Top Cover
and in the Red Cup Holder.



10 Insert a coffee pod into the Red Cup Holder. Close the Cover.




⚠ WARNING:
Coffee Pod may be HOT.



11 Press the desired Cup Size Button to start brewing. Enjoy your beverage!

XBold Cup™ for 8-14 oz Buttons.
XLarge Cup™ for 16-18 oz Buttons.

B-2. REFILL JUMBO CUP





For Household Use Only

To learn more about Touch, visit www.touchbeverages.com or Call Toll-Free: 844-20TOUCH (844-208-6824)

© 2014 Touch, Incorporated All rights reserved